Registered No. M. 1178

# The Mysore Gazette

PUBLISHED BY AUTHORITY

240

Vol. 84] BANGALORE, THURSDAY, MAY 12, 1949 [No. 19

## PART V

### SEASON REPORT FOR THE 19TH WEEK ENDING WITH THE SEVENTH SATURDAY IN MAY 1949.

(7TH MAY 1949).

*Rainfall up to 8 a.m. on Saturday the 7th May 1949.*

| District and Station | This week | Last 85 years' average for the corresponding week | Up to the end of the week from 1st January 1949 — This year | Average of past 85 years | Excess (+) or deficit (−) of col. 4 compared with column. |
|---|---|---|---|---|---|
| | 2 | 3 | 4 | 5 | 6 |
| | In. c. | In. c. | In. c. | In. c. | In. c. |
| **BANGALORE** | | | | | |
| Bangalore City and Taluk | 0 46 | 0 93 | 2 84 | 8 58 | −1 24 |
| Hoskote | 0 28 | 0 62 | 1 75 | 2 99 | −1 24 |
| Dodballapur | 0 08 | 0 81 | 1 41 | 3 28 | −1 87 |
| Nelamangala | 0 00 | 0 83 | 0 75 | 2 98 | −2 23 |
| Kankanhalli | 1 02 | 0 86 | 3 57 | 3 22 | −0 85 |
| Magadi | 0 00 | 0 89 | 0 00 | 3 28 | −3 28 |
| Channapatna | 0 61 | 0 81 | 1 56 | 3 32 | −1 76 |
| Anekal | 1 85 | 0 83 | 3 28 | 3 65 | −0 37 |
| Devanhalli | 1 95 | 0 76 | 2 60 | 3 38 | −0 78 |
| Ramanagar | 0 55 | 0 84 | 2 63 | 3 16 | −0 53 |
| District Average ... | 0 68 | 0 82 | 1 99 | 3 28 | −12 90 |
| **KOLAR.** | | | | | |
| Kolar | 0 55 | 0 59 | 2 11 | 2 83 | −0 72 |
| Bowringpet | 0 48 | 0 63 | 2 18 | 3 47 | −1 29 |
| Chintamani | 0 45 | 0 53 | 3 05 | 3 77 | −0 28 |
| Mulbagal | 1 60 | 0 75 | 1 60 | 3 14 | −1 54 |
| Sidlaghatta | 1 17 | 0 67 | 1 86 | 2 83 | −0 97 |
| Chikballapur | 0 00 | 0 46 | 0 15 | 2 92 | −2 77 |
| Bagepalli | 0 00 | 0 32 | 0 60 | 2 16 | −1 56 |
| Goribidnur | 0 00 | 0 46 | 0 19 | 2 08 | −1 87 |
| Malur | 0 34 | 0 62 | 2 31 | 3 22 | −0 91 |
| Srinivaspur | 1 16 | 0 46 | 2 04 | 2 79 | −0 75 |
| Gudibanda | 0 00 | 0 37 | 0 60 | 2 30 | −1 70 |
| District Average ... | 0 85 | 0 54 | 1 52 | 2 78 | −1 25 |
| **TUMKUR** | | | | | |
| Tumkur | 0 87 | 0 76 | 0 87 | 2 62 | −1 75 |
| Madhugiri | 1 00 | 0 37 | 1 30 | 2 11 | −0 81 |
| Chiknaikanhalli | ... ... | 0 79 | 1 25 | 2 87 | −0 62 |
| Sira | 0 38 | 0 55 | 0 38 | 2 08 | −1 70 |
| Gubbi | 0 31 | 0 70 | 1 60 | 2 32 | −0 72 |
| Tiptur | ... ... | 0 82 | 0 62 | 2 94 | −2 32 |
| Pavagada | ... ... | 0 37 | 0 41 | 1 73 | −1 32 |
| Kunigal | 0 38 | 0 67 | 1 14 | 2 45 | −1 31 |
| Kortagere | ... ... | 0 40 | 0 25 | 2 12 | −1 87 |
| Turuvekere | 0 09 | 0 76 | 0 69 | 2 44 | −1 75 |
| District Average ... | 0 30 | 0 62 | 0 85 | 2 36 | −1 51 |
| **MYSORE** | | | | | |
| Mysore | 0 39 | 1 15 | 1 83 | 4 37 | −2 54 |
| Chamarajnagar | ... ... | 0 96 | 2 15 | 3 99 | −1 84 |
| Hunsur | ... ... | 0 98 | 1 75 | 4 14 | −2 39 |
| Krishnarajnagar | 0 19 | 0 94 | 1 89 | 3 33 | −1 44 |
| Heggaddevankote | 0 37 | 1 15 | 4 43 | 5 00 | −0 44 |
| Gundlupet | 1 57 | 0 96 | 5 58 | 4 47 | +1 11 |
| Nanjangud | 0 38 | 1 12 | 6 99 | 4 67 | +2 32 |
| T.-Narsipur | 1 05 | 0 95 | 5 06 | 3 99 | +1 15 |
| Periyapatna | 0 19 | 1 29 | 3 06 | 4 25 | −1 19 |
| District Average ... | 0 46 | 1 05 | 3 63 | 4 24 | +0 50 |

*Rainfall up to 8 a.m. on Saturday the 7th May 1949—concld.*

| District and Station | This week | Last 85 years' average for the corresponding week | Up to the end of the week from 1st January 1949 — This year | Average of past 85 years | Excess (+) or deficit (−) of col. 4 compared with col. 5 |
|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 |
| | In. c. | In. c. | In. c. | In. c. | In. c. |
| **MANDYA.** | | | | | |
| Mandya | 0 94 | 0 91 | 1 61 | 3 26 | −1 65 |
| Seringapatam | 0 18 | 1 00 | 3 04 | 3 51 | −0 47 |
| Malvalli | 3 18 | 0 79 | 7 12 | 3 15 | −3 97 |
| Krishnarajpet | 0 58 | 1 06 | 2 96 | 3 58 | −0 62 |
| Nagamangala | 2 60 | 0 79 | 3 12 | 3 42 | −0 30 |
| Maddur | 1 51 | 0 81 | 4 46 | 2 80 | +1 66 |
| French-Rocks | 1 62 | 0 91 | 3 99 | 3 08 | +0 91 |
| District Average ... | 1 51 | 0 89 | 3 76 | 3 26 | +0 50 |
| **HASSAN.** | | | | | |
| Hassan | 0 52 | 1 03 | 2 50 | 3 89 | −1 39 |
| Manjarabad (Saklespur) | 0 00 | 0 83 | 2 40 | 3 80 | −1 40 |
| Arkalgud | 0 21 | 0 89 | 1 14 | 3 89 | −2 75 |
| Belur | 0 00 | 1 01 | 1 42 | 4 04 | −2 62 |
| Channarayapatna | 0 90 | 1 10 | 3 48 | 3 64 | −0 16 |
| Arsikere | 0 90 | 0 74 | 2 68 | 3 03 | −0 35 |
| Hole-Narsipur | 0 00 | 0 93 | 2 26 | 3 58 | −1 32 |
| Alur | 0 50 | 1 07 | 3 39 | 4 38 | −0 99 |
| District Average ... | 0 38 | 0 95 | 2 40 | 3 73 | −1 33 |
| **SHIMOGA.** | | | | | |
| Shimoga | ... ... | 0 71 | 0 0 | 2 72 | −2 72 |
| Channagiri | 0 65 | 0 80 | 1 10 | 2 38 | −1 28 |
| Honnali | 0 84 | 0 57 | 1 63 | 2 63 | −1 00 |
| Shikarpur | ... ... | 0 75 | 1 63 | 2 61 | −0 98 |
| Sorab | ... ... | 0 59 | 1 10 | 2 45 | −1 35 |
| Sagar | ... ... | 0 45 | 0 91 | 2 74 | −1 83 |
| Nagar (Kallurkatte) | ... ... | 0 59 | 0 99 | 2 60 | −1 61 |
| Tirthahalli | ... ... | 0 59 | 0 20 | 2 77 | −2 57 |
| Bhadravati | ... ... | ... ... | 1 79 | ... ... | ... ... |
| District Average ... | 0 11 | 0 55 | 1 04 | 2 31 | −1 27 |
| **CHIKMAGALUR.** | | | | | |
| Chikmagalur | ... ... | 1 07 | 1 50 | 4 64 | −3 14 |
| Kadur | 0 26 | 0 70 | 0 46 | 2 99 | −2 53 |
| Tarikere | ... ... | 0 78 | 0 56 | 2 91 | −2 35 |
| Koppa | 0 50 | 0 75 | 1 60 | 3 77 | −2 17 |
| Mudgere | ... ... | 0 86 | 1 46 | 4 26 | −2 80 |
| Narasimharajpura | ... ... | 0 84 | 0 54 | 3 45 | −2 91 |
| Sringeri | ... ... | 0 57 | 0 24 | 3 22 | −2 98 |
| District Average ... | 0 11 | 0 79 | 0 91 | 3 60 | −2 69 |
| **CHITALDRUG.** | | | | | |
| Chitaldrug | 0 0 | 0 87 | 0 28 | 2 38 | −2 10 |
| Challakere | 0 0 | 0 45 | 0 41 | 2 12 | −1 71 |
| Hiriyur | 0 0 | 0 63 | 0 70 | 2 28 | −1 58 |
| Holalkere | 0 0 | 0 58 | 0 69 | 2 38 | −1 69 |
| Davangere | 0 0 | 0 51 | 1 06 | 2 05 | −0 99 |
| Molakalmuru | 0 0 | 0 52 | 0 00 | 1 88 | −1 88 |
| Jagalur | 0 18 | 0 49 | 0 24 | 1 99 | −1 75 |
| Hosdurga | 0 00 | 0 82 | 0 00 | 2 27 | −2 27 |
| Harihar | 0 00 | 0 53 | 0 80 | 2 11 | −1 31 |
| District Average ... | 0 02 | 0 60 | 0 41 | 2 15 | −1 74 |
| Provincial Average ... | | | | | |

### STATEMENT SHOWING THE PRICES OF FOOD-GRAINS IN SEERS PER RUPEE AND MARKET FLUCTUATIONS IN PRICES OF FOOD-GRAINS FOR THE 19TH WEEK ENDING SATURDAY THE 7TH MAY 1949.

| | Kind of grains | This week | Past week | Past ten years' fortnightly average |
|---|---|---|---|---|
| | | Srs. | Srs. | Srs. |
| Bangalore | Rice, 2nd sort | 3·0 | 3·0 | 5·0 |
| | Ragi | 5·0 | 5·0 | 12·0 |
| | Kulthi | 2·4 | 2·4 | 6·0 |
| | Kadale | 2·4 | 2·4 | 6·0 |
| Kolar | Rice, 2nd sort | 2·8 | 2·8 | 5·0 |
| | Ragi | 5·0 | 5·0 | 8·0 |
| | Kulthi | 2·0 | 2·0 | 5·0 |
| | Kadale | 2·4 | 2·4 | 3·0 |
| Tumkur | Rice, 2nd sort | 3·0 | 3·0 | 5·0 |
| | Ragi | 5·0 | 5·0 | 8·0 |
| | Kulthi | 2·0 | 2·0 | 4·0 |
| | Kadale | 2·0 | 2·0 | 4·0 |
| Mysore | Rice, 2nd sort | 3·0 | 3·0 | 5·0 |
| | Ragi | 5·0 | 5·0 | 10·0 |
| | Kulthi | 2·8 | 2·8 | 9·0 |
| | Kadale | 1·4 | 1·4 | 8·0 |
| Mandya | Rice, 2nd sort | 3·0 | 3·0 | 4·8 |
| | Ragi | 5·0 | 5·0 | 8·0 |
| | Kulthi | 2·8 | 2·8 | 7·0 |
| | Kadale | 1·4 | 1·4 | 3·0 |
| Hassan | Rice, 2nd sort | 3·0 | 3·0 | 5·0 |
| | Ragi | 5·0 | 5·0 | 8.0 |
| | Kulthi | 3·0 | 3·0 | 8·0 |
| | Kadale | 1·4 | 1·4 | 4·0 |
| Shimoga. | Rice, 2nd sort | 3·0 | 3·0 | 0·90 |
| | Ragi | 5·0 | 5·0 | 15·00 |
| | Kulthi | 2·8 | 2·8 | 9·58 |
| | Kadale | 1·4 | 1·4 | ... |
| Chikmagalur. | Rice, 2nd sort | ... | ... | ... |
| | Ragi | ... | ... | ... |
| | Kulthi | ... | ... | ... |
| | Kadale | ... | ... | ... |
| Chitaldrug | Rice, 2nd sort | 2·8 | 2·8 | 6·0 |
| | Ragi | 3·8 | 3·8 | 16·0 |
| | Kulthi | 3·0 | 3·0 | 4.8 |
| | Cholum | ... | ... | ... |
| | Kadale | 1·4 | 1·4 | 7·0 |

DISTRICT REPORTS.

8. Market how supplied.

9. Progress of agricultural operations, state of standing crops, prospects and probable out-turn of the harvests, serious damage done to crops by insects or other natural calamities.

10. Prospects of season, tracts in which rainfall has been insufficient, areas affected by scarcity. Number of people under relief and state of food stocks.

11. Remarks on the condition of agricultural stock, failure of pasturage of fodder, etc.

BANGALORE.

8. Well supplied.

9. (1) *Standing Crops.*—Paddy, sugarcane and potato crops are fair.

(2) *Harvests.*—Nil.

(3) *Crops sown.*—Nil.

10. Good. Coolies find sufficient labour.

11. Cattle are generally reported to be healthy. Water and fodder are available.

It is reported that Blackquarter is prevailing in Gudemaranahalli Village, Magadi Taluk and Doddanahalli in Channapatna Taluk. Preventive measures have been taken to check the epidemic.

KOLAR.

8. Moderately supplied.

9. Nil.

*Seeds sown.*—Irrigated Ragi and paddy under wells.

*Standing Crops.*—Kar Ragi and paddy under wells; sugarcane, chillies, bengalgram and potatoes in Sidlaghatta Taluk are reported to be in good condition.

9. *Crops harvested.*—Groundnut, sugarcane, horsegram and Minor millets. Milling of sugarcane is reported to be nearing completion.

10. Fair.—Rains are needed.

*Public Health.*—Generally good except for the prevalence of small-pox at Sidlaghatta and Chikballapur Town and their surrounding villages. Necessary preventive measures are taken to check the spread of the epidemics.

11. Cattle are reported to be generally healthy except for the prevalence of Blackquarter at Mummanahalli and Sonaganahalli in Sidlaghatta Taluk and in Duggasandra Hobli in Mulbagal Taluk. Preventive measures are taken to check the spread of the disease.

Fodder and water are available.

Cooly classes find sufficient labour.

TUMKUR.

8. Fairly well supplied.

9. *Seeds sown.*—Nil.

*Standing Crops.*—Paddy in Tumkur, Madhugiri, Chiknaikanahalli, Sira, Gubbi, Tiptur, Kunigal, Kortagere and Turuvekere Taluks; sugarcane in Tumkur, Kunigal and Turuvekere Taluks; ragi in Turuvekere and Kunigal Taluks.

*Crops harvested.*—Paddy in Madhugiri Taluk.

10. Rains are needed for standing crops and for agricultural purposes.

*Public Health.*—Generally good, except for prevalence of plague in Chiknaikanahalli Taluk and of small-pox in Chiknaikanhalli, Kunigal and Gubbi Taluks. Preventive measures are reported to have been adopted by the concerned departmental officers.

Cattle are reported to be generally healthy except for the out-break of Blackquarter in parts of Chiknaikanahalli Taluk. Necessary action to check the spread of the disease is reported to have been taken.

Water and fodder are available. Cooly classes find sufficient labour.

MYSORE.

8. It is reported that the markets are well supplied, in all the Taluks of the District.

9. *Seeds sown.*—It is reported that jola and ragi is being sown in Hunsur Taluk.

*Standing crops.*—Such as Kar-ragi in Krishnarajanagar Taluk, and jola, mulberry, sugarcane, and castor in Chamarajnagar Taluk are reported to be fairly in good condition.

*Crops harvested*—Nil.

10. (1) Fair.

(2) It is reported that there was fairly good rainfall in all the Taluks of this District except in Hunsur and Chamarajanagar Taluks.

(3) None under relief.

(4) Sufficient quantity of foodgrains are available throughout this District.

(5) Cattle are reported to be generally healthy. Sufficient quantity of water and fodder is available throughout this District.

MANDYA.

8. Well supplied.

9. *Crops harvested.*—Sugarcane is being harvested in Irwin Canal area.

*State of Standing Crops.*—The condition of Kar-ragi, Kar-paddy and sugarcane is reported to be good in all the taluks.

10. Prospects of the season are reported to be good.

11. Public Health is reported to be generally good throughout the District except for the prevalence of small-pox in some of the villages of Mandya Taluk.

Preventive measures are reported to have been taken to check the spread of the epidemic.

Cattle are reported to be generally healthy throughout the District.

HASSAN.

8. Well supplied.

Ploughing operations are going on in Manjarabad, and Arsikere Taluks.

*Crops sown.*—Ragi and Jolam are being sown in Hole-Narsipur Taluk.

9. *Standing Crops.*—Sugarcane in Belur, Channarayapatna and Alur Taluks, and Kar-paddy in Arsikere Taluk are reported to be in good condition. Rain is urgently needed for sowing purposes in all the taluks.

*Crops harvested.*—Sugarcane is being milled in parts of Hassan Taluk.

10. Prospects of the season are reported to be generally good, but rain is urgently needed.

11. Water and fodder are available for cattle. Cattle are reported to be healthy.

SHIMOGA.

8. Reported to be generally well supplied. The Amildar, Sagar Taluk reports that controlled articles are available (for sale) only in Government Depots but not in local shops.

9 Sugarcane crushing is coming to an end in the Taluk of Channagiri.

Summer paddy crop is reported to be in good condition in the Taluk of Sagar.

10. Prospect of the season is reported to be generally good. Crops in a few villages in Belagutti and Saswehalli Hoblis in Honnali Taluk are reported to have suffered to some extent. Scarcity of rain is keenly felt in Sagar Taluk.

11. Cattle are reported to be healthy. Water and fodder are available.

CHIKMAGALUR.

8. Markets are fairly well supplied.

9. *Crops sown.*—Nil.

*Standing Crops.*—Kar-ragi and summer paddy. They are reported to be in good condition.

10. Rains are badly required.

11. Cattle are reported to be generally healthy. Water and fodder are also reported to be available.

CHITALDRUG.

8. Markets are reported to be well supplied except in controlled commodities.

9. *Sowing.*—Sowing of kar-ragi is reported to be in progress in Molakalmuru Taluk.

*Standing Crops.*—Cotton in Chitaldrug and Hosadurga Taluks, paddy in Chellakere, Hiriyur and Molakalmuru Taluks are reported to be in fair condition.

*Harvesting.*—Harvesting of cotton and paddy are reported to be in progress.

10. Relief works started in the previous years are in progress. Cooly classes are finding sufficient labour throughout the District.

11. Cattle are reported to be generally healthy throughout the District except in a few villages of Chellakere Taluk where

the foot and mouth disease is reported to be prevailing. Precautionary measures are reported to have been taken by the Veterinary Department to check the spread of disease.

Water and fodder are available throughout the District.

STATEMENT SHOWING THE PRICES CURRENT (RETAIL) OF RICE (2ND SORT), RAGI AND HORSEGRAM, AT THE SEVERAL TALUK HEADQUARTERS FOR THE 19TH WEEK ENDING SATURDAY THE 7TH MAY 1949.

| District | Taluk | Quantity per rupee by the standard seer of 80 tolas: Rice, 2nd sort Srs. | Chs. | Ragi Srs. | Chs. | Horse-gram Srs. | Chs. | Kadale Srs. | Chs. |
|---|---|---|---|---|---|---|---|---|---|
| Bangalore | Bangalore | 3 | 0 | 5 | 0 | 2 | 4 | 2 | 0 |
| | Hoskote | 3 | 0 | 5 | 0 | 2 | 0 | 2 | 0 |
| | Dodballapur | 3 | 0 | 5 | 0 | 2 | 4 | 2 | 0 |
| | Nelamangala | 3 | 0 | 5 | 0 | 3 | 0 | 2 | 0 |
| | Kankanhalli | 3 | 0 | 5 | 0 | 2 | 4 | 2 | 0 |
| | Magadi | 3 | 0 | 5 | 0 | 2 | 0 | 1 | 8 |
| | Channapatna | 3 | 0 | 5 | 0 | 2 | 0 | 2 | 0 |
| | Anekal | 3 | 0 | 5 | 0 | 2 | 0 | 2 | 0 |
| | Devanhalli | 3 | 0 | 5 | 0 | 2 | 4 | 2 | 0 |
| | Ramanagar | 3 | 0 | 5 | 0 | 3 | 0 | 2 | 0 |
| Kolar | Kolar | 2 | 8 | 5 | 0 | 2 | 8 | 2 | 4 |
| | Bowringpet | 2 | 8 | 5 | 0 | 2 | 8 | 2 | 4 |
| | Chintamani | 2 | 8 | 5 | 0 | 2 | 8 | 2 | 4 |
| | Mulbagal | 2 | 8 | 5 | 0 | 2 | 8 | 2 | 4 |
| | Sidlaghatta | 2 | 8 | 5 | 0 | 2 | 8 | 2 | 4 |
| | Chikballapur | 2 | 8 | 5 | 0 | 2 | 8 | 2 | 0 |
| | Bagepalli | 2 | 8 | 5 | 0 | 2 | 8 | 2 | 4 |
| | Goribidnur | 2 | 8 | 5 | 0 | 2 | 8 | 2 | 4 |
| | Malur | 2 | 8 | 5 | 0 | 2 | 8 | 2 | 4 |
| | Srinivaspur | 2 | 8 | 5 | 0 | 2 | 8 | 2 | 4 |
| | Gudibanda | 2 | 8 | 5 | 0 | 2 | 8 | 2 | 4 |
| Tumkur | Tumkur | 3 | 0 | 5 | 0 | 2 | 0 | | ... |
| | Madhugiri | 3 | 0 | 5 | 0 | 2 | 0 | | ... |
| | Chiknayakanhalli | 3 | 0 | 5 | 0 | 2 | 0 | | ... |
| | Sira | 3 | 0 | 5 | 0 | 2 | 0 | | ... |
| | Gubbi | 3 | 0 | 5 | 0 | 2 | 0 | | ... |
| | Tiptur | 3 | 0 | 5 | 0 | 2 | 0 | | ... |
| | Pavagada | 3 | 0 | 5 | 0 | 2 | 0 | | ... |
| | Kunigal | 3 | 0 | 5 | 0 | 2 | 0 | | ... |
| | Koratagere | 3 | 0 | 5 | 0 | 2 | 0 | | ... |
| | Turuvekere | 3 | 0 | 5 | 0 | 2 | 0 | | ... |
| Mysore | Mysore | Controlled | | | | 2 | 8 | 1 | 8 |
| | Chamarajnagar | | | | | 2 | 8 | 1 | 8 |
| | Hunsur | | | | | 2 | 8 | 1 | 8 |
| | Krishnarajnagar | | | | | 2 | 8 | 1 | 8 |
| | Heggaddevankote | | | | | 2 | 8 | 1 | 8 |
| | Gundlupet | | | | | 2 | 8 | 1 | 8 |
| | Nanjangud | | | | | 2 | 8 | 1 | 8 |
| | T.-Narasipur | | | | | 2 | 8 | 1 | 8 |
| | Periyapatna | | | | | 2 | 8 | 1 | 8 |
| Mandya | Mandya | 3 | 0 | 5 | 0 | 2 | 8 | 1 | 4 |
| | Srirangapatana | 3 | 0 | 5 | 0 | 2 | 0 | 1 | 4 |
| | Malvalli | 3 | 0 | 5 | 0 | 2 | 8 | 1 | 4 |
| | Krishnarajpet | 3 | 0 | 5 | 0 | 2 | 8 | 1 | 4 |
| | Nagamangala | 3 | 0 | 5 | 0 | 3 | 0 | 1 | 4 |
| | Maddur | 3 | 0 | 5 | 0 | 1 | 12 | 1 | 4 |
| | French-Rocks | 3 | 0 | 5 | 0 | 2 | 8 | 1 | 6 |
| Hassan | Hassan | 3 | 0 | 5 | 0 | 3 | 0 | 1 | 4 |
| | Manjarabad | 3 | 0 | 5 | 0 | 2 | 4 | 1 | 4 |
| | Arkalgud | 3 | 0 | 5 | 0 | 3 | 0 | 1 | 4 |
| | Belur | 3 | 0 | 5 | 0 | 3 | 0 | 1 | 8 |
| | Channarayapatna | 3 | 0 | 5 | 0 | 2 | 8 | 1 | 4 |
| | Arsikere | 3 | 0 | 5 | 0 | 3 | 0 | 2 | 0 |
| | Hole-Narsipur | 3 | 0 | 5 | 0 | 3 | 0 | 2 | 0 |
| | Alur | 3 | 0 | 5 | 0 | 3 | 0 | 1 | 4 |
| Shimoga | Shimoga | 3 | 0 | 5 | 0 | 2 | 8 | 1 | 4 |
| | Channagiri | 3 | 0 | 5 | 0 | 3 | 8 | 1 | 4 |
| | Honnali | 3 | 0 | 5 | 0 | 2 | 8 | 1 | 8 |
| | Shikarpur | 3 | 0 | 5 | 0 | 2 | 8 | 1 | 4 |
| | Sorab | 3 | 0 | 3 | 0 | 2 | 0 | 1 | 8 |
| | Sagar | 3 | 0 | 5 | 0 | 2 | 4 | 1 | 5 |
| | Nagar | 3 | 0 | 5 | 0 | 2 | 4 | 1 | 4 |
| | Thirthahalli | 3 | 0 | ... | | 2 | 4 | 1 | 4 |
| | Bhadravathi | 3 | 0 | 5 | 0 | 2 | 8 | 1 | 10 |
| Chikmagalur | Chikmagalur | Controlled | | | | 2 | 8 | 1 | 8 |
| | Kadur | | | | | 2 | 4 | 1 | 4 |
| | Tarikere | | | | | 2 | 0 | 1 | 8 |
| | Koppa | | | | | 2 | 8 | 1 | 4 |
| | Mudgere | | | | | 2 | 8 | 1 | 4 |
| | Narasimharajapura | | | | | 2 | 8 | | ... |
| | Sringeri | | | | | 2 | 0 | 1 | 8 |

| District | Taluk | Quantity per rupee by the standard seer of 80 tolas: Rice, 2nd sort Srs. | Chs. | Ragi Srs. | Chs. | Horse-gram Srs. | Chs. | Bengal gram Srs. | Chs. |
|---|---|---|---|---|---|---|---|---|---|
| Chitaldrug | Chitaldrug | 2 | 8 | 5 | 0 | 3 | 0 | | ... |
| | Challakere | 2 | 8 | 5 | 0 | 2 | 12 | | ... |
| | Hiriyur | 2 | 8 | 5 | 0 | 2 | 8 | | ... |
| | Holalkere | 2 | 8 | 5 | 0 | 3 | 0 | | ... |
| | Davangere | 2 | 8 | 3 | 0 | 3 | 0 | | ... |
| | Molakalmuru | 2 | 8 | 5 | 0 | 3 | 0 | | ... |
| | Jagalur | 2 | 8 | 5 | 0 | 3 | 0 | | ... |
| | Hosdurga | 2 | 8 | 5 | 0 | 2 | 8 | | ... |
| | Harihar | 2 | 8 | 5 | 0 | 2 | 8 | | ... |

OFFICE OF THE REVENUE COMMISSIONER IN MYSORE,
*Bangalore,*
Dated 10th April 1949.

V. VEDAVYASACHARY.
*Revenue Commissioner.*

## MYSORE STATE DEPARTMENT OF PUBLIC HEALTH

### NOTE ON THE STATE OF PUBLIC HEALTH IN MYSORE STATE, WEEK ENDED THURSDAY, THE 5TH MAY 1949.

A total of 4 attacks with 3 deaths from Plague were returned from 2 villages in 2 taluks in 2 districts during the week against 1 attack with nil death in the previous week. Cities of Bangalore, Mysore and Kolar Gold Field Area reported free from Plague. Comparative figures for the corresponding week in 1948 and 1947 were 15 attacks with deaths and 14 attacks with 7 deaths respectively.

A total of 111 attacks with 22 deaths from Small-pox were reported from Anekal, Hassan, Chikmagalur, Hoskote, Arsikere, Kadur, Srinivasapur, Bagepally, Malavalli, Koratagere, Gubbi, Kankanhalli, Channapatna, Sidlaghatta, and from Tumkur Taluks.

Six attacks with 1 death from Cholera were reported from Tiptur Taluk.

The State remained free from Influenza and Relapsing Fever.

The total mortality for Bangalore City amounted to 18 (65 in hospitals) representing a calculated death-rate of 31·6 (20·8 excluding hospital deaths) per mille of population (annual basis) as against 21·4 for the corresponding week of last year. Classified according to causes, the deaths numbered: 3 under Small-pox, 1 under Typhoid, 2 under Other Fevers, 5 under Phthisis, 27 under Dysentery and Diarrhœa and 152 under All Other Causes. The reported mortality was normal.

During the week, the Civil Station, Bangalore, returned 62 deaths (13 in hospitals) representing a calculated death-rate of 18·0 (14·0 excluding hospital deaths) per mille of population (annual basis) as against 26·6 for the corresponding week of last year. Classified according to causes the deaths were: Small-pox 2, Broncho-Pneumonia Pneumonia 5, Typhoid 1, Dysentery and Diarrhœa 11 and All Other Causes 39.

The total mortality for Mysore City was 57 (14 in hospitals) representing a calculated death-rate of 15·8 (11·9 excluding hospital deaths) per mille of population (annual basis) as against 10·3 for the corresponding week of last year. Classified according to causes, the deaths were: Small-pox 1, Malaria 2, Typhoid 2, Other Fevers 3, Phthisis 5, Dysentery and Diarrhœa 5 and All Other Causes 35. The reported mortality was very low.

There were 39 deaths (8 in hospitals) from all causes in Kolar Gold Field Area, equivalent to a calculated death-rate of 11·6 (9·2 excluding hospital deaths) per mille of population (annual basis) as against 9·2 for the corresponding week of last year. Classified according to causes, the deaths numbered: 2 under Other Fevers, 1 under Phthisis, 4 under Dysentery and Diarrhœa and 32 under All Other Causes. The reported mortality was very low.

11370 T. CHANDRASEKHARAIYA, *Director.*